



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,295	09/11/2006	Todd Wirges	03-0028/US1 (8470-46/NPB)	8486
29293	7590	01/07/2010	EXAMINER	
FREUDENBERG-NOK GENERAL PARTNERSHIP LEGAL DEPARTMENT 47690 EAST ANCHOR COURT PLYMOUTH, MI 48170-2455			SY, MARIANO ONG	
			ART UNIT	PAPER NUMBER
			3657	
			NOTIFICATION DATE	DELIVERY MODE
			01/07/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

fngp@hdp.com
mlp@fngp.com
PatentPros@fngp.com

Office Action Summary	Application No. 10/567,295	Applicant(s) WIRGES ET AL.	
	Examiner MARIANO SY	Art Unit 3657	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>05/23/2006</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

1. The disclosure is objected to because of the following informalities:

Page 2, line 33 "threader fastener" should be --threaded fastener--,

Page 4, line 1 "is provided is provided" should be --is provided--.

Appropriate correction is required.

Drawings

2. The drawings are objected to because Fig. 2 fails to show "a cross-sectional view taken along the line 3-3" as recited on page 2, line 19 of the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the

Art Unit: 3657

applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

3. The drawings are objected to because Fig. 2 the following are pointing to the wrong place: pumping chamber "50"; core "16"; and compensation chamber "52". Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. The drawings are objected to because Fig. 3 shows on left-hand side "valve member 44" but on the right-hand side, where the call out "elastomeric member

Art Unit: 3657

14", it is an open passage on the "air chamber 60" which should be air-tight. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claims 1-16 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites the limitation "said flexible wall portion of said compensation chamber" in line 10. It is indefinite and unclear if this flexible wall portion is the same or different from "a flexible wall portion of said elastomeric member" in lines 9-10.

Claim 1 recites the limitation "a secondary chamber" in line 11. It is indefinite and unclear if there is "a primary chamber".

Claim 9 recites the limitation "said flexible wall portion of said compensation chamber" in lines 8-9. It is indefinite and unclear if this flexible wall portion is the same or different from "a flexible wall portion of said elastomeric member" in lines 7-8.

Claim 9 recites the limitation "a secondary chamber" in line 9. It is indefinite and unclear if there is "a primary chamber".

Claim 10 recites the limitation "each having a flexible wall portion" in line 3. It is indefinite and unclear if it is the same or different from the "flexible wall portion" recited in claim 9, lines 8-9.

Claim 14 recites the limitation "said inertia track" in line 3. There is insufficient antecedent basis for this limitation in the claim.

Claims 2-8, 11-13, 15, and 16 are indefinite due to their dependency on claims 1 and 9.

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Bouhours (US 5,123,635)

Kojima et al. (US 5,228,662)

Hirasawa et al.	(US 5,375,822)
Kojima et al.	(US 5,397,113)
Tekeguchi	(US 5,423,511)
Tsutsumida et al.	(US 5,547,173)
Meyer et al.	(US 5,895,031)
Rudolf et al.	(US 6,015,141)
Siemer et al.	(US 7,392,976)

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARIANO SY whose telephone number is (571)272-7126. The examiner can normally be reached on Mon.-Fri. from 8:30 A.M. to 2:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Siconolfi, can be reached on 571-272-7124. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/567,295
Art Unit: 3657

Page 7

/MS/

December 22, 2009

/Robert A. Siconolfi/
Supervisory Patent Examiner, Art
Unit 3657